




RAHAN
www.petrorahanpump.ir

۱۴۰۴-۰۴-۲۶

تاریخ آخرین
بروزرسانی :

لیست قیمت کوپل و شاسی صنعتی مطابق با استاندارد ISO 5199 دور ۱۴۵۰

Total Price (Rials)	Baseplate No.	Weight kg		Coupling	Motor		Size	
		unit	pump		kW	size		
۵۰۰,۶۶۴,۴۶۰	7.1	69	31	H80	0.37	71	32-125	8
۵۰۰,۶۶۴,۴۶۰	7.1	71			0.37	71		
۵۰۰,۶۶۴,۴۶۰	7.1	73	33	H80	0.55	80	32-160	8
۵۰۰,۶۶۴,۴۶۰	7.1	74			0.55	80	32-200	8
۵۰۰,۶۶۴,۴۶۰	7.1	76	34		0.75	80		
۵۰۰,۶۶۴,۴۶۰	7.1	79			1.10	90S		
۵۸۸,۵۸۳,۴۵۲	8.1	105			0.75	80	32-250	10
۵۸۸,۵۸۳,۴۵۲	8.1	108	46		1.10	90S		
۷۳۰,۰۷۴,۸۵۰	9.1	112			1.50	90L		
۷۳۰,۰۷۴,۸۵۰	9.1	120			2.20	100L		
۵۰۰,۶۶۴,۴۶۰	7.1	66	28	H80	0.37	71	40-125	8
۵۰۰,۶۶۴,۴۶۰	7.1	68			0.55	80	40-160	8
۵۰۰,۶۶۴,۴۶۰	7.1	68			0.37	71		
۵۰۰,۶۶۴,۴۶۰	7.1	70			0.55	80		
۵۰۰,۶۶۴,۴۶۰	7.1	72	30		0.75	80		
۵۰۰,۶۶۴,۴۶۰	7.1	75			1.10	90S		
۵۰۰,۶۶۴,۴۶۰	7.1	85			0.55	80	40-200	10
۵۸۸,۵۸۳,۴۵۲	8.1	86			0.75	80		
۵۸۸,۵۸۳,۴۵۲	8.1	89	36		1.10	90S		
۵۸۸,۵۸۳,۴۵۲	8.1	93			1.50	90L		
۵۸۸,۵۸۳,۴۵۲	8.1	108			1.10	90S	40-250	10
۷۳۰,۰۷۴,۸۵۰	9.1	112	46		1.50	90L		
۷۳۰,۰۷۴,۸۵۰	9.1	120			2.20	100L		
۷۳۰,۰۷۴,۸۵۰	9.1	123			3.00	100L		
۷۳۰,۰۷۴,۸۵۰	9.1	163			2.20	100L	40-315	12
۷۳۰,۰۷۴,۸۵۰	9.1	165	73		3.00	100L		
۸۳۶,۲۴۹,۳۱۵	10.1	170			4.00	112M		
۸۴۱,۱۴۸,۶۷۷	10.1	186		H95	5.50	132S		

Δ00,664,460	7.1	68	30	H80	0.37	71	50-125	8		
Δ00,664,460		70			0.55	80				
Δ00,664,460		72			0.75	80				
Δ11,Δ13,452	8.1	77	36		0.55	80	50-160	10		
Δ11,Δ13,452		79			0.75	80				
Δ11,Δ13,452		82			1.10	90S				
Δ11,Δ13,452	8.1	91	40		0.75	80	50-200	10		
Υ30,0Υ4,1Δ0		94			1.10	90S				
Υ30,0Υ4,1Δ0		97			1.50	90L				
Υ30,0Υ4,1Δ0	9.1	106	2.20		100L	50-250	10			
Δ11,Δ13,452	8.1	116	50		1.50			90L		
Δ11,Δ13,452		125			2.20			100L		
Υ30,0Υ4,1Δ0		127			3.00			100L		
Υ30,0Υ4,1Δ0	9.1	132	4.00		112M			50-315	12	
141,141,677	10.1	186	88	H95	4.00	112M				
141,141,677		201		5.50	132S					
997,256,767	11.1	226	H80	7.50	132M	65-125	10			
Δ11,Δ13,452	8.1	83	33	H80	0.55			80		
Δ11,Δ13,452		84			0.75			80		
Δ11,Δ13,452	8.1	90	39		0.75			80	65-160	10
Δ11,Δ13,452		97			1.50			90L		
Υ30,0Υ4,1Δ0	9.1	115	2.20		100L					
		Weight kg		Cplg.	Motor			Size		
		unit	pump		No.					kW
Δ11,Δ13,452	8.1	107	45	H80	1.1	90S	65-200	10		
Δ11,Δ13,452		111			1.5	90L				
Υ30,0Υ4,1Δ0		9.1			119	2.2			100L	
Υ30,0Υ4,1Δ0		9.1			121	3			100L	
Υ30,0Υ4,1Δ0	9.1	159	70		H95	2.20	100L	65-250	12	
Υ30,0Υ4,1Δ0		9.1				161	3.00			100L
136,249,315	10.1	167				4.00	112M			
1,002,156,129	11.1	196				5.50	132S			
1,002,156,129	11.1	237	92	H95		5.50	132S	65-315	12	
1,124,221,217		249				7.50	132M			
1,449,951,299		12.1				270	11.00			160M
1,462,713,371		12.1				290	H110			15.00
Δ11,Δ13,452	8.1	102	43	H80	0.75	80	80-160	10		
Δ11,Δ13,452		105			1.10	90S				
Δ11,Δ13,452		108			1.50	90L				
Υ30,0Υ4,1Δ0		9.1			117	2.20			100L	
Υ30,0Υ4,1Δ0		9.1			119	3.00			100L	
Δ11,Δ13,452	8.1	126	60			1.50	90L	80-200	12	
Υ30,0Υ4,1Δ0		9.1				149	2.20			100L
Υ30,0Υ4,1Δ0		9.1				151	3.00			100L
136,249,315		10.1				156	4.00			112M

1,141,148,677	10.1	172		H95	5.50	132S		
997,256,767	11.1	198		H80	3.00	100L		
997,256,767	11.1	203			4.00	112M		
1,002,156,129	11.1	219	75		5.50	132S	80-250	12
1,124,228,217	11.4	231			7.50	132M		
1,002,156,129	11.1	240		H95	5.50	132S		
1,124,228,217	11.4	252			7.50	132M		
1,124,228,217	11.4	273	95		11.00	160M	80-315	12
1,462,713,378	12.1	293		H110	15.00	160L		
1,449,958,299	12.1	324		H95	11.00	160M		
1,611,062,496	12.3	381			15.00	160L		
1,623,817,576	12.3	403	143	H110	18.50	180M	80-400	12
1,623,575,603	13.1	418			22.00	180L		
2,130,258,843	16.3	467		H125	30.00	200L		
730,074,850	9.1	168			2.20	100L		
730,074,850	9.1	170		H80	3.00	100L	100-160	12
730,074,850	9.1	175	78		4.00	112M		
1,141,148,677	10.1	204		H95	5.50	132S		
730,074,850	9.1	159			2.20	100L		
730,074,850	9.1	161		H80	3.00	100L		
1,124,228,217	10.1	167	70		4.00	112M	100-200	12
1,002,156,129	11.1	196			5.50	132S		
1,002,156,129	11.1	207		H95	7.50	132M		
997,256,767	11.1	214		H80	4.00	112M		
1,002,156,129	11.1	230			5.50	132S		
1,124,228,217	11.4	241	85		7.50	132M	100-250	12
1,449,958,299	12.1	262		H95	11.00	160M		
1,449,958,299	12.1	282			11.00	160M		
1,462,713,378	12.1	302			15.00	160L		
1,462,713,378	12.1	322	104	H110	18.50	180M	100-315	12
1,623,989,548	12.3	339		H125	22.00	180L		
1,611,062,496	12.3	417		H95	15.00	160L		
1,623,817,576	12.3	439			18.50	180M		
1,918,936,618	14.1	454		H110	22.00	180L		
2,130,258,843	16.3	502	177	H125	30.00	200L	100-400	12
2,441,042,606	17.1	553			37.00	225S		
2,441,042,606	17.1	574		H140	45.00	225M		
1,124,228,217	11.4			H95				
1,462,713,378	12.1	257			7.50	132M		
1,462,713,378	12.1	278	100		11.00	160M	125-200	12
1,462,713,378	12.1	298		H110	15.00	160L		
1,124,228,217	11.4			H95				
1,462,713,378	12.1	259			7.50	132M		
1,462,713,378	12.1	280	102		11.00	160M	125-250	12
1,462,713,378	12.1	300		H110	15.00	160L		
1,611,062,496	12.3	390		H95	15.00	160L		
1,623,817,576	12.3	412			18.50	180M		
1,918,936,618	14.1	426	151	H110	22.00	180L	125-315	12
2,130,258,843	16.3	475		H125	30.00	200L		

حجم جوشکاری مطابق با نقشه پیوست و در کلیه فصل مشترکها بصورت تمام جوش میباشد.

